



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GENERAL INDEX TO VOLUME VI

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic*; and previously published scientific names and all other matter, in ordinary type.

A

- Aleurodiscus tabacinus*, 261
 Algal flora, A subterranean, 281
 Allen, E. R.: Some conditions affecting the growth and activities of *Azotobacter chroococcum*, 1; and Davisson, B. S. An all-glass nitrogen apparatus, 45
Allium Cepa, 310
 Amidase in fungi, 197
 Amino-nitrogen, determination of, 75
 Ammonia, determination of, 75
Anabaena sp., 302
 Apparatus: nitrogen-distilling, 24; an all-glass nitrogen, 45, 48
Arcangeliiella, 49; *Borziana*, 49, 53; *caudata*, 49, 51; *Soderstromii*, 52
Arcangeliiella, *Gymnomyces*, and *Macomranites* in North America, 49
Armillaria mellea, enzyme action in, 193
Aspergillus glaucus, growth of, in mixed cultures, 183, 192
Aspergillus niger: germination and hydrogen ion concentration of, 207; growth of, in mixed cultures, 183, 192
Atkinsonii (*Lachnocladium*), 277
Auximones, 6
Azotobacter chroococcum: in relation to wood decay induced by fungi, 116; Some conditions affecting the growth and activities of, 1, 44

B

- Bacillus radiclecola*, 1
Bacillus species in relation to wood decay induced by fungi, 116
 Bacteria: nitrifying, 1; nitrogen-fixing, 1; The relation of, to cellulose fermentation induced by fungi, with special reference to the decay of wood, 93
Bacterium mycoides in relation to wood decay induced by fungi, 116
Berkeleyi (*Veluticeps*), 260
bicolor (*Lachnocladium*), 274
bicolor (*Clavaria*), 274
bicolor (*Clavaria*), 274
 Biological fluids, pigmented, and H ion determination, 61, 179

- Bonia*, 262
Bonia, 261; *flava*, 262
Botrytis cinerea, germination and hydrogen ion concentration of, 207
brasiliense (*Lachnocladium*), 268, 280
brasiliensis (*Protomerulius*), 175
brunneoleuca (*Mycobonia*), 263
brunneoleucum (*Hydnum*), 263
 Burt, E. A. An edible garden *Hebeloma*, 171; *Merulius* in North America, supplementary notes, 143; *Protomerulius Farlowii* Burt, n. sp., 175; The *Thelephoraceae* of North America, XI, 253

C

- Calcium hypochlorite solution, treatment of seeds with, 151
 Carbohydases in fungi, 194
 Carboxyl groups: determination of, 76; fate of, 84
cartilagineum (*Lachnocladium*), 269, 280
 Cellulose fermentation, relation of bacteria to, 93
cervina (*Clavaria*), 273
cervinum (*Lachnocladium*), 273, 280
Chelidonium majus, 312
Cladophora sp., 286
Clavaria, 267; *bicolor*, 274; *bicolor*, 274; *cervina*, 273; *fragrans*, 270; *furcellata*, 274; *pallida*, 273; *Peckii*, 274; *vestipes*, 274
Colletotrichum lindemuthianum, germination and hydrogen ion concentration of, 207
 Colloids, protective, in nutrient media, 35
 Colorimeter, The use of the, in the indicator method of H ion determination with biological fluids, 61
Coniophora cerebella: growth of, in mixed cultures, 183; growth of, on liquid media, 138
Corticium incarnatum pinicolum, 256; *roseolum*, 256; *tabacinum*, 261
 Culture experiments with *Melampsora* in Japan, 309
 Cultures: mixed, 183, 192; subterranean, methods of obtaining, 284, algae found in, 304, artificial, 305

D

- Daedalea confragosa*: enzyme action in, 193; growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138
Daedalea quercina: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138
 Davis, Anne W., Duggar, B. M., and. Seed disinfection for pure culture work: the use of hypochlorites, 159
 Davison, B. S., Allen, E. R. and. An all-glass nitrogen apparatus, 45
 Deamination in the tyrosinase reaction, 80
 Diastase activity in relation to stage of development and carbohydrate content of the tuber of *Solanum tuberosum*, 223
 Disinfection, seed, 147, 159
 Dodge, C. W.: Tyrosin in the fungi: chemistry and methods of studying the tyrosinase reaction, 77; Duggar, B. M., and. The use of the colorimeter in the indicator method of H ion determination with biological fluids, 61; Zeller, S. M., and. Arcangelilla, Gymnomyces, and Macowanites in North America, 49
 Dubosq colorimeter, 179
 Duggar, B. M.: The micro-colorimeter in the indicator method of hydrogen ion determination, 179; and Davis, Anne W. Seed disinfection for pure culture work: the use of hypochlorites, 159; and Dodge, C. W. The use of the colorimeter in the indicator method of H ion determination with biological fluids, 61; Zeller, S. M., Schmitz, H., and. Studies in the physiology of the fungi. VII, Growth of wood-destroying fungi on liquid media, 137
Dussii (Epitehele), 265
Dussii (*Hypochnus*), 265
Dussii (*Peniophora*), 265

E

- Eichleriana* (*Tulasnella*), 255
 Emulsin in fungi, 196
 Enzyme action: and tuber development, 223; in *Armillaria mellea* Vahl, *Daedalea confragosa* (Bolt.) Fr., and *Polyporus lucidus* (Leys.) Fr., 193
Epithele, 264; *Dussii*, 265; *sulphurea*, 265
Epithele, 264
erectum (*Lachnocladium*), 276, 280
Eriocladius, 266
 Esterases in fungi, 194

F

- Farlowii* (*Protomerulius*), 176
flava (*Bonia*), 262
flava (*Mycobonia*), 262
flava (*Peziza*), 262
flavum (*Grandinioides*), 262, 264
flavum (*Hydnum*), 262
Fomes pinicola in relation to decay of wood, 112
 Formaldehyde, treatment of seeds with, 153
fragrans (*Clavaria*), 270
 Fungi: enzyme action in certain, 193; germination of spores of, in relation to H ion concentration, 201; mixed cultures of, 183; relation of bacteria to cellulose fermentation induced by, 93; Studies in the physiology of the, VI, 93, VII, 137, VIII, 183, IX, 193, X, 201; Tyrosin in the, 71; wood-destroying, on liquid media, 137
furcellata (*Clavaria*), 274
furcellatum (*Lachnocladium*), 274, 280
Fusarium sp., germination and hydrogen ion concentration of, 207
fusco-violacea (*Tulasnella*), 258

G

- Germination of the spores of certain fungi in relation to hydrogen ion concentration, 201
Grandinioides, 262; *flavum*, 262, 264
guadalupensis (*Pterula*), 277
guadelupense (*Lachnocladium*), 277
guadelupense (*Merisma*), 277
Gymnomyces, 54; *Gardneri*, 54; *pallidus*, 54, 55; *seminudus*, 54, 56

H

- Hantzschia amphioxys*, 296
Hebeloma, an edible garden, 171
Hebeloma hortense, 172, 174
hortense (*Hebeloma*), 172, 174
Hydnangium Soderstromii, 52
Hydnum brunneoleucum, 263; *flavum*, 262
 Hydrogen: electrode, 61; ion concentration, germination of the spores of certain fungi in relation to, 201, relation between, and growth of fungi in mixed cultures, 188; ion determination, the use of the colorimeter in the indicator method, with biological fluids, 61, micro-colorimeter in the indicator method of, 179
Hymenochaete veluticeps, 260
 Hypochlorites in seed disinfection, 159
Hypochnus Dussii, 265; *violeus*, 256

I

- incarnata* (*Pachysterigmata*), 256
incarnata (*Tulasnella*), 256
incarnatum pinicolum (*Corticium*), 256
 Indicator method of H ion determination, 61, 179
Isaria sp., growth of, in mixed cultures, 183, 192

K

- Karrer, J. L., Moore, G. T., and. A
 subterranean algal flora, 281
 Kober colorimeter, 66, 181

L

- Lachnocladium*, 266; *Atkinsonii*, 277, *bicolor*, 274, 280; *brasiliense*, 268, 280; *cartilagineum*, 269, 280; *cervinum*, 273, 280; *erectum*, 276, 280; *furcellatum*, 274, 280; *guadelupense*, 277; *Micheneri*, 270, 280; *odoratum*, 278; *odoratum*, 270; *pallidum*, 273; *semi-vestitum*, 271, 280; *subsimile*, 272, 280
Larix decidua, 310; *leptolepis*, 313
Lentinus lepideus: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138
Lenzites saepiaria, germination and hydrogen ion concentration of, 207
Lenzites vialis: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138; in relation to decay of wood, 112

M

- McGinty, R. A. Diastase activity in relation to stage of development and carbohydrate content of the tuber of *Solanum tuberosum*, 223
Macowania, 56
Macowania, 56; *agaricina*, 58
Macowanites, 56; *agaricinus*, 56, 58; *echinosporus*, 57
 Matsumoto, T. Culture experiments with *Melampsora* in Japan, 309
 Media, liquid, growth of wood-destroying fungi on, 137
Melampsora, 309; *Larici-daphnoides*, 309; *Larici-epitea*, 309; *Larici-Miyabeana*, 309; *Larici-opaca*, 309; *Larici-pentandrae*, 312; *Larici-populina*, 314; *Larici-Urbaniana*, 311; *yezoensis*, 309
 Mercuric chloride, treatment of seeds with, 156
Merisma, 267
Merisma guadelupense, 277
Merulius hirsutus, 145; *incarnatus*, 143; *lacrymans*, 145, growth of, in mixed

- cultures, 183, 192, growth of, on liquid media, 138; *pinastri*, growth of, in mixed cultures, 183, 192, growth of, in liquid media, 138; *rimosus*, 145; *rubellus*, 143, 145
Micheneri (*Lachnocladium*), 270, 280
 Micro-colorimeter, The, in the indicator method of hydrogen ion determination, 179
 Moore, G. T. and Karrer, J. L. A subterranean algal flora, 281
Mycobonia, 253, 261; *brunneoleuca*, 263; *flava*, 262

N

- Navicula atemoides*, 296
 Nitrogen: apparatus, 24, An all-glass, 45, 48; fixation by *Azotobacter chroococcum*, 15; methods, 23
Nitzschia Kützingiana, 296
Nostoc muscorum, 296

O

- odoratum* (*Lachnocladium*), 278
odoratum (*Lachnocladium*), 270
Oscillatoria amphibia, 296; *anoema*, 296; *chlorina*, 296; *formosa*, 296; *splendida*, 296; *subtilissima*, 296

P

- Pachysterigma*, 253
Pachysterigmata incarnata, 256
pallida (*Clavaria*), 273
pallidum (*Lachnocladium*), 273
Peckii (*Clavaria*), 274
Penicillium cyclopium, germination and hydrogen ion concentration of, 207
Peniophora Dussii, 265
Peziza flava, 262
 Phenol groups: determination of, 76; fate of, 84
Pleurotus sapidus: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138
Polyporus lucidus: enzyme action in, 193; growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138
Polystictus hirsutus: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138
Polystictus versicolor: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138; in relation to decay of wood, 112
Populus balsamifera, 312
 Proteases in fungi, 198
Protoderma viride, 286
Protomerulius brasiliensis, 175; *Farlowii*, 175, 177

Prototremella, 253; *Tulasnei*, 256

Pterula, 267; *setosa*, 278; *guadalupensis*, 277

R

Ribes grossularia, 313

roseolum (*Corticium*), 256

S

Salix babylonica, 314; *Capraea*, 315; *daphnoides*, 309; *jessoensis*, 309; *Miyabeana*, 309; *opaca*, 309; *Urbani-ana*, 310; *viminalis*, 309

Schmitz, H.: Studies in the physiology of the fungi. VI, The relation of bacteria to cellulose fermentation induced by fungi, with special reference to the decay of wood, 93; Zeller, S. M., and. Studies in the physiology of the fungi. VIII, Mixed cultures, 183; and S. M. Zeller. Studies in the physiology of the fungi. IX, Enzyme action in *Armillaria mellea* Vahl, *Daedalea confragosa* (Bolt.) Fr., and *Polyporus lucidus* (Leys.) Fr., 193; Zeller, S. M., Duggar, B. M., and. Studies in the physiology of the fungi. VII, Growth of wood-destroying fungi on liquid media, 137

Seytonema Hofmanni, 296

Seed disinfection for pure culture work, 147, 159

semivestitum (*Lachnocladium*), 271, 280

setosa (*Pterula*), 278

Solanum tuberosum, diastase activity in relation to stage of development and carbohydrate content of the tuber of, 223

Spore germination and H ion concentration, 201

Standard solutions, 62

Stichococcus bacillaris, 286

Studies in the physiology of the fungi. VI, The relation of bacteria to cellulose fermentation induced by fungi with special reference to the decay of wood, 93; VII, Growth of wood-destroying fungi on liquid media, 137; VIII, Mixed cultures, 183; IX, Enzyme action in *Armillaria mellea* Vahl, *Daedalea confragosa* (Bolt.) Fr., and *Polyporus lucidus* (Leys.) Fr., 193; X, Germination of the spores of certain fungi in relation to hydrogen ion concentration, 201

subsimile (*Lachnocladium*), 272, 280

Sugar determination, 21, 241

sulphurea (*Epithele*), 265

T

tabacina (*Veluticeps*), 261

tabacinum (*Corticium*), 261

tabacinus (*Aleurodiscus*), 261

Tannase in fungi, 196

Thelephoraceae of North America, The, XI, 253

Trametes Peckii: growth of, in mixed cultures, 183, 192; growth of, on liquid media, 138

Trochiscia, 286

Tulasnei (*Prototremella*), 256

Tulasnei (*Tulasnella*), 256

Tulasnella, 253; *Eichleriana*, 255; *fusco-violacea*, 258; *incarnata*, 256; *Tulasnei*, 256; *violea*, 256

Tyrosin in the fungi: chemistry and methods of studying the tyrosinase reaction, 71

Tyrosinase reaction, 71

U

Ulothrix variabilis, 286

Urease in fungi, 197

V

Veluticeps, 253, 259; *Berkeleyi*, 261; *tabacina*, 261

Veluticeps, 259

veluticeps (*Hymenochaete*), 260

vestipes (*Clavaria*), 274

violea (*Tulasnella*), 256

violeus (*Hypochnus*), 256

W

Webb, R. W. Studies in the physiology of the fungi. X, Germination of the spores of certain fungi in relation to hydrogen ion concentration, 201

Wood: decay induced by fungi, 93; effects of autoclaving, 94

Wood-destroying fungi: enzyme action in, 195; on liquid media, 137

Y

Young, H. C. Seed disinfection for pure culture work, 147

Z

Zeller, S. M.: and Dodge, C. W. *Arcangeliiella*, *Gymnomyces*, and *Macowanites* in North America, 49; and Schmitz, H. Studies in the physiology of the fungi. VIII, Mixed cultures, 183; Schmitz, H., and. Studies in the physiology of the fungi. IX, Enzyme action in *Armillaria mellea* Vahl, *Daedalea confragosa* (Bolt.) Fr., and *Polyporus lucidus* (Leys.) Fr., 193; Schmitz, H., and Duggar, B. M. Studies in the physiology of the fungi. VII, Growth of wood-destroying fungi on liquid media, 137